



SPECIFICATIONS MODEL 8080 (Cat. No. 308081)

Model 8080 RJ45 A/B/C Switch, Manual Control, Cat 5e Compliant • Reliable switch, applicable to ANY RJ45 interface.

INTRODUCTION:

The Model 8080 enables access to three 10/100/1000 Base-T networks up to Cat5e. The Model 8080 Category 5e A/B/C Switch allows the user to reroute data between three networks with a simple flip of a switch. The unit supports all 8 pins of the RJ45 Cat5e interface. No need to plug and unplug cables thereby eliminating connector wear. The Model 8080 is packaged in a slim desktop style enclosure.

FEATURES:

- Allows access to three networks from one computer or workstation.
- Certified for Cat5e compliance.
- Rated for 10/100/1000 Base-T networks (up to Cat5e).
- Eliminates the need to plug and unplug cables.
- The switch ports are transparent to all data.
- All (8) pins of the RJ45 interface are switched via break-before-make rotary switch.
- Manual operation via front-panel rotary switch.
- No external power required.
- Attractive anodized black box packaging provides EMI/RFI shielding.
- High quality sealed switch with self-wiping precious metal contacts.
- Lifetime warranty against manufacturing defects.
- Custom length Cat5e cables available for your switch installation.
- * Municipalities, schools, government: This Product is on GSA Schedule!

Model 8080



SPECFICATIONS:

PORT CONNECTORS: (4) RJ45 female connectors labeled A, B, C, and COMMON.


FRONT PANEL CONTROL: (1) Rotary switch on front panel selects A, B, C. **POWER:** No power required. Manually

operated.

DIMENSIONS: 5.43" W x 2.29" H x 7.75"D. (13.8 x 5.9 x 19.7 cm)

WEIGHT: Approximately 1.1 lb. (0.5 kg)

Order Custom Length Cat5e Cables for optimum performance!



www.ElectroStandards.com E-mail:eslab@ElectroStandards.com