

SPECIFICATIONS MODEL 9714

Cat. No. 309714

LineSelect Model 9714 Eight-Channel Cat5e RJ45 A/B/C Switch, Manual, Independent Switching, Rackmount

• Switches all 8 pins. Allows compatibility wth ALL RJ45 interfaces.

INTRODUCTION

The **LineSelect™** Model 9714 enables access to three 10/100/1000 Base-T Cat 5e networks for each channel. Each of the eight channels of the **LineSelect™** Model 9714 Category 5e A/B/C Switch allows the user to reroute data between three networks with a simple flip of a switch. The unit supports all 8 pins of the RJ45 Cat5e interface. No need to plug and unplug cables thereby eliminating connector wear. The **LineSelect™** Model 9714 is enclosed in a 2U, full rack size, all metal black chassis designed to provide EMI/RFI shielding and fit in a standard 19" rack.

FEATURES:

- Efficient use of panel space; eight complete A/B/C switches in a 2U panel height (3.50").
- Each of eight channels allows quick connection to any one of three networks from one COMMON network.
- Independently switches each of the eight channels via eight front-panel rotary switches.
- High quality sealed switch with self-wiping low impedance contacts.
- All 8 pins of the RJ45 interface are switched via breakbefore-make rotary switch.
- Tested for Cat5e Compliance.
- Manually operated. No power required.
- Eliminates the need to plug and unplug cables.
- Attractive all metal black box packaging provides EMI/RFI shielding.
- Rackmount configuration is standard.
- Lifetime warranty against manufacturing defects.



SPECIFICATIONS:

PORT CONNECTORS: (3) RJ45 female connectors labeled A, B, C, and COMMON, for each of the 8 channels.


FRONT PANEL CONTROL: (8) Rotary switches on front panel select A, B, or C position for each of the 8 channels.

POWER: No power required. Manually operated.

DIMENSIONS: Rackmount 19.0" W x 3.5" H x 8.66" D. (48.3 x 8.9 x 22.0 cm)

WEIGHT: Approximately 6.7 lbs. (3.2 kg)

Be sure to order the Cat5e patchcords at custom lengths to improve system performance.



36 Western Industrial Drive, Cranston, RI 02921 Tel: 401-943-1164 Fax:401-946-5790 www.ElectroStandards.com E-mail:eslab@ElectroStandards.com